ASAP | Provider

Epic TIPS & TRICKS

ICD-10 Update: Hospitalize/Admit Navigator and ICD-10 Calculator

Using the ICD-10 Calculator in the Clinical Inpression

With the change to ICD-10 on 10/1/2015, the number of available diagnosis with greatly increase, furthermore previously unspecific IDC-9 diagosis will be phased out and will be unavailable. To make the selection of a specific ICD-10 diagnsis, Epic has developed the diagnosis calculator. This calculator is located in the Clinical impression section in the Discharge, Transfer, and Hospitalize/Admit Navigators. You will still be able to select a diagnosis from within the Admit and Obs orders, however the list will contain the full volume of specific diagnosis and does not have an available diagnosis calculator. For this reason, we sugguest using the clinical impression, with the diagnosis calculator as it will make determineing the specific diagnosis far easier.

涉 Try lt Out

- 1. Open the patient chart
- 2. Select the Hospitalize/Admit Navigator (D/C, Transfer Navigator will also contain section)



3. Open the Clinical Impression section, use the add box to search for a diagnosis.







4. If a more specific diagnosis is required, when you hit the Add button, the search window will open and you will see the calculator at the bottom of the screen. If the diagnosis is not specific enough, the accept button will be greyed out and unavailable for selection.

Database Matches				- 0 X
Match: Prices	noria			Eind
10	Name	ICD-9 Code	s ICD-10 Codes	-
227785	Preumonia	486	J18.9	
1437530	Pneumonia affecting pregnancy	648.90, 496	O99.519, J18.9	
1437675	Pneumonia affecting pregnancy in first trimester	648.93, 486	O99.511, J18.9	
1437481	Pneumonia affecting pregnancy in second trimester	648.93, 486	O99.512, J18.9	
1437520	Pneumonia affecting pregnancy in third trimester	648.93, 486	O99.513, J18.9	
1429035	Pneumonia affecting pregnancy, antepartum	648.93, 486	O99.519, J18.9	
222815	Pheumonia allergic	518.3	J82	
211203	Pneumonia and influenza	487.0	J11.00	
1243851	Pneumonia associated with acquired immune deficiency syndrome (AIDS)	042, 486	B20, J15.9	
1434235	Pneumonia associated with positive cold applutinins test	486, 283.0	J18.9. D59.1	
334492	Pneumonia complicating pregnancy	648.90, 486	O99.519, J18.9	
1354634	Pneumonia complicating pregnancy in first trimester	648.93, 486	O99.511, J18.9	
1354152	Pneumonia complicating pregnancy in second trimester	648.93, 486	O99.512, J18.9	
1354521	Pneumonia complicating pregnancy in third trimester	648 93, 486	O99.513 J18.9	
976658	Pneumonia complicating pregnancy, first trimester	648.93,486	099.511	
955934	Preumonia complicating pregnancy, second trimester	648.93, 486	099.512	
917885	Preumonia complication reasonancy their trimester	648.93.486	099.513	
Calcylator	aspiration pneumonia , due to chamydia , due to proup B Streptococcus , due to Haemophilus influenciae ; due to influencia due to methoditin-resistant Staphylococcus aureus (MISN) , due to methoditin-sensitive Staphylococcus aureus (MISN) , due due to Praviounnai , durb to trapendice organism)	A virus : due to Klebsiella pneumoniae to Mycoplasma prieumoniae ; due to Pneumoc	occus) due to Pneumacystis (iroveci)	
Aspiration pneumonia ty	pe due to anesthesia during labor and delivery due to anesthesia during puerperium meconium aspiration unspecified			
Laterality:	unspecified laterality left light bilateral			
Lung location:	upper lobe of hung, middle lobe of hung, lower lobe of hung, unspecified part of hung,	\backslash		
Visit Diagnosis:				
Ereference List Ø	F5)		Accept	Cancel
50 Loaded. More to load				

5. You can use the calculator to fulfil the fields which will help pick the specific ICD-10 diagnosis for the patient. Once a specific diagnosis has been selected the accept button will become available.

Select a specific diagnosis.				
Pneumonia type:	aspiration pneumonia due to chlamydia due to group B Streptococcus due to Haemophilus influenzad due to influenza A virus due to Klebsiella pneumoniae due to methicillin-resistant Staphylococcus aureus (MRSA) due to methicillin-sensitive Staphylococcus aureus (MSSA) due to Mycoplasma pneumoniae due to Pneum due to Pseudomonas due to unspecified organism	nococcus due to Pneumocystis jirovecii		
Aspiration pneumonia type:	due to anesthesia during labor and delivery due to anesthesia during puerperium meconium aspiration unspecified			
Laterality:	Unspecified laterality left right bilateral			
Lung location:	upper lobe of lung middle lobe of lung lower lobe of lung unspecified part of lung			
Visit Diagnosis: Pneumonia, organism unspecified, unspecified laterality, unspecified part of lung [J18.9]				
<mark>♦ Cl<u>e</u>ar</mark>				
Preference List (F5)		Accept Cano	icel	



6. When you select the diagnosis from the clinical impression, the information will flow into the Admit Orders, Observation Orders and Decision to Admit and Decision to place in Obs orders

💕 Orders		<u>*</u> 4
Select/Release Sign and He	eld Orders Select Pended Orders	💠 New Order 🛛 Clear All Orders 🛛 😈 Next
Routing Dx Association	Edit Multiple	
Order mode: Standard	Providers	👷 Pend Orders) 😂 Sign & Hold 🚽 Sign Orders
ED Orders		
	ref List	
ED Decision to Admit		Caccept X Cancel LInk Order Remove
Level Prima	l of Care by Hospital. Sibley Memorial Hospital ary Diagnosis. Pneumonia, organism unspecified, unspecified lat	wrallty, unspecified part of king
Transfer Service:	Q Q	
Ouesbons:	Prompt	Answer Comments
	1. Level of Care by Hospital: 4	21 (Sibley Memodul Hospital
	A. Level of Care: 🥹	SMH - SNF (Renalssance) SMH - Telemetry SMH - SCN (Special Care Nay - Level 2) SMH - OB (L&D) SMH - Post Partum (FCU) SMH - Med Surg SMH - Newborn Nursery SMH - ICU SMH - Psych (7 West)
	2. Primary Diagnosis	Preumonia, organism unspeched lateratin, unspeched lateratin, unspeched part of lung
	3. Secondary Diagnosis:	8
	4. Admitting Physician	
	5. Future Attending Provider	2
	6 Comments to Bed Planning	
Comments (F6):	Click to add text	

7. You can also enter the diagnoisis in the Admit Orders, Observation Orders and Decision to Admit and Decision to place in Obs orders. However, you will not get the calculator and will have to select from the full list of diagnosis.

Record Select	inia		
	Name		
1/37/81	Proumonia offecting programov in second trimester	648.93.486	099.512
1437520	Pheumonia affecting pregnancy in third trimester	649.03,400	099.512, J
1437320	Pheumonia affecting pregnancy in third timester	648.93,400	099.515, J
222815	Pheumonia allecting pregnancy, antepartum	640.33, 400 618 3	182
211203	Preumonia anergic	497.0	111.00
12/3851	Pheumonia and initianza Pheumonia acceptated with acquired immune deficiency syndrome (A	407.0	B20 115 9
1/3/031	Pheumonia associated with acquired minimum deliciency syndrome (A., Pheumonia associated with positive cold addutining test	486 283 0	118 0 DE0 1
334492	Pheumonia associated with positive cold aggidtinins test	648 90 486	000 510
1354634	Pneumonia complicating prognancy	648.93.486	099.511
1354054	Pneumonia complicating pregnancy in inst timester	648.93.486	099.512
1354521	Proumonia complicating prognancy in Second timester	648.93.486	099 513 1
976658	Pneumonia complicating pregnancy first trimester	648.93.486	099 511
955934	Pneumonia complicating pregnancy, second trimester	648.93.486	099.512
917885	Pneumonia complicating pregnancy, second timester	648.93.486	099.512
9/9798	Pneumonia complicating pregnancy, unspecified trimester	648.93,486	099.519
480.0.IC	Pneumonia due to adenovirus	480.0	112.0
12/0327	Pneumonia due to aerobic bacteria	482.89	115.8
482 81 1	Pneumonia due to anaerobes	482.83	.115.8
336578	Pneumonia due to anaerobic hacteria	482.81	.115.8
483 1 IC	Pneumonia due to Chlamydia	483.1	.116.0
722745	Pneumonia due to Chlamydia osittaci	073.0	.116.0
0 records loade	d, more records within search limit.		
		Accept	Cancel

Selecting this diagnosis will flow back to the Clinical Impresion







